

INSPIRIT

of life IN HOSPITAL EXPERIENCED HOSPITAL FURNITURE




ICU BED (MOTORIZED) PS-101



- Overall Size: L 2130 mm x W 1050 mm x H 620 mm
- Platform Dimension: L 2030 mm x W 900 mm
- ➤ Minimum Height: 545 mm
- ➤ Maximum Height: 935 mm
- Back-rest, Knee-rest, Hi-Low & Up-Down Position Obtained by Electric Actuator
- > Using ABS Head and Foot Panel
- ➤ Using Tuck Away Side Safety Railing
- ➤ Using Four Section Polypropylene Platform
- > Using 150 mm Castors
- ➤ 5 function Motorized System
- ➤ Battery Backup System
- Pretested in 7 tank hot process & Powder coated


ICU BED (MANUALLY)



- Overall Size: L 2150 mm x W 1050 mm x H 550 mm
- Platform Dimension: L 1960 mm x W 975 mm
- ➤ Minimum Height: 500 mm
- ➤ Maximum Height: 675 mm
- ➤ Back-rest, Knee-rest, Hi-Low & Up-Down Position Obtained by Handle System
- ➤ Using ABS Head and Foot Panel
- ➤ Using Tuck Away Side Safety Railing
- > Using Polymer Molded Handle
- ➤ Using Four Section Polypropylene Platform
- ➤ Using 150 mm Castors
- Pretested in 7 tank hot process & Powder coated



FULL FOWLER HI-LOW BED PS-103



- Overall Size: L 2100 mm x W 1000 mm x H 600 mm
- Platform Dimension: L 1950 mm x W 885 mm
- ➤ Minimum Height: 450 mm
- > Maximum Height: 850 mm
- ➤ Back-rest, Knee-rest & Hi-Low Position Obtained by Handle System
- ➤ Using ABS Head and Foot panel
- ➤ Using Aluminium Railing
- Using four section Perforated Top
- > Using 150 mm Castors
- Pretested in 7 tank hot process & Powder coated

FULL FOWLER BED



- Overall size: L 2100 mm x W 1000 mm x H 600 mm
- ➤ Platform Dimension: L 1950 mm x W 885 mm
- Back-rest & Knee-rest position obtained by Handle System
- > Using ABS Head and Foot panel
- ➤ Using Aluminium Railing
- ➤ Using four section Perforated Top
- > Using 150 mm Castors
- Pretested in 7 tank hot process & Powder coated



SEMI FOWLER HI-LOW BED PS-105



- ➤ Overall Size:
 - L 2100 mm x W 1000 mm x H 600 mm
- Platform Dimension: L 1950 mm x W 885 mm
- > Minimum Height: 450 mm
- > Maximum Height: 850 mm
- Back-rest & Hi-Low Position Obtained by Handle System
- > Using ABS Head and Foot panel
- ➤ Using Aluminium Railing
- Using Two Section Perforated Top
- > Using 150 mm Castors
- Pretested in 7 tank hot process & Powder coated

SEMI FOWLER BED



- > Overall size:
 - L 2100 mm x W 1000 mm x H 600 mm
- Platform Dimension: L 1950 mm x W 885 mm
- ➤ Back-rest section adjustable up to 1225 mm
- ➤ Back-rest Position
 Obtained by Handle System
- ➤ Using ABS Head and Foot panel
- ➤ Using Aluminium Railing
- ➤ Using Two Section Perforated Top
- ➤ Legs Fitted With PVC Shoes
- Pretested in 7 tank hot process & Powder coated



BACK-REST BED

PS-107



- Overall Size: L 2100 mm x W 1000 mm x H 600 mm
- Platform Dimension: L 1950 mm x W 885 mm
- Back-rest section adjustable up to 900 mm
- Back-rest Position Obtained by Manual System
- ➤ Using ABS Head and Foot panel
- ➤ Using Aluminium Railing
- ➤ Using Two Section Perforated Top
- ➤ Legs Fitted With PVC Shoes
- Pretested in 7 tank hot process & Powder coated

GENERAL BED



- Overall Size: L 1860 mm x W 900 mm x H 600 mm
- Platform Dimension: L 1800 mm x W 900 mm
- > Using One Section Perforated Top
- ➤ M.S. Head & Foot Bows are height with Three Vertical & One Horizontal Support
- > Urine bag hook
- ➤ Legs Fitted With PVC Shoes
- Pretested in 7 tank hot process & Powder coated



GENERAL BED WITH M.S. RAILING

PS-109



- Overall Size: L 1860 mm x W 900 mm x H 600 mm
- ➤ Platform Dimension: L 1860 mm x W 900 mm
- ➤ Using One Section Perforated Top
- > Legs Fitted With PVC Shoes
- Pretested in 7 tank hot process & Powder coated

GENERAL BED WITH LAMINATED PANEL PS-110



- Overall Size:
 L 1860 mm x W 900 mm x H 600 mm
- ➤ Platform Dimension: L 1860 mm x W 900 mm
- Using One Section Perforated Top
- S.S. Head & Foot bows with Laminated Panel Board
- ➤ Legs Fitted With PVC Shoes
- Pretested in 7 tank hot process & Powder coated

CRIB CARRIER BED



- Overall Size: L 900 mm x W 450 mm x H 900 mm
- Crib Size: L 750 mm x W 375 mm x H 300 mm
- > Using 100 mm dia. castors
- ➤ Using M.S. Tubular Framework
- Pretested in 7 tank hot process & Powder coated



DELUXE LOCKER

PS-112



- Overall Size: L 400 mm x W 400 mm x H 800 mm
- > CRC sheet cabinet
- One drawer at upper side
- > One box at bottom
- ➤ One S.S. top at upper side
- > S.S. railing at three sides
- > 50mm dia. Castors
- Pretested in 7 tank hot process & Powder coated

CRASH CART TROLLEY (S.S.) PS-114



- Overall Size: L 675 mm x W 400 mm x H 1575 mm
- Complete S.S. frame structure
- > Two cabinets with six drawers of polystyrene
- Six plastic bins
- One saline rod
- ➤ 150mm dia. Castors, two with breaks
- Power coated O2 cylinder arrangement
- > One wooden writing board

PS-113

BED SIDE LOCKER



- Overall Size: L 400 mm x W 400 mm x H 800 mm
- > CRC sheet cabinet
- > One S.S. top at upper side
- > Tubular M.S. Framework
- Tubular legs are fitted with Rubber Shoes
- Pretested in 7 tank hot process & Powder coated

PS-115

DRUG TROLLEY (S.S.)



- > Overall Size:
 - L 675 mm x W 450 mm x H 1575 mm
- > 100 mm dia. Castors
- > S.S. Matte finish
- > Plastic bins of different sizes



MONITOR TROLLEY PS-116

- > Overall Size: L 640 mm x W 820 mm x H 1600 mm
- One Drawer at bottom
- > 150mm dia. Castors, two with breaks
- ➤ 5/15 amp. 3 pin plug electric board
- One Saline rod
- ➤ CO2 cylinder arrangement
- Pretested in 7 tank hot process & Powder coated

INSTRUMENT TROLLEY WITH BOWL (S.S)

PS-118



- > Overall Size: L 925 mm x W 450 mm x H 800 mm
- Frame work made by S.S. Square Pipes
- ➤ One S.S. Top
- > One S.S. Tray at Bottom
- > S.S. Railing covers on three sides.
- > S.S. Frame structure mounted on 100mm dia. castors
- S.S. bowl & bucket for dressing and waste collection
- ➤ S.S. matte finish

PS-117 INTRUMENT TROLLEY (S.S)



- > Overall Size: L 675 mm x W 450 mm x H 800 mm
- Tubular frame work made by S.S Square Pipes
- > One S.S. Top
- > One S.S. Tray at Bottom
- ➤ S.S. Railing covers on three sides
- > S.S Frame structure mounted on 100mm dia. Castors

PS-119 ECG TROLLEY (S.S.)



- > Overall Size: L 800 mm x W 450 mm x H 675 mm
- > One S.S Tray at Upper side
- ➤ One S.S Tray at Bottom
- > One Drawer at Upper Side
- > 5.5. tubular frame structure mounted on 100mm dia. Castors
- > S.S. Matte finish



TWO SECTION LABOR TABLE (S.S.)

PS-120



- Overall Size:
 L 1800 mm x W 750 mm x H 750 mm
- > S.S. Top in three sections
- ➤ At the Head side, one S.S. bow with laminated panel board
- ➤ Two Side S.S.railings
- ➤ Two Lithotomy leg holders
- > S.S. Bowl for Waste Collection
- Backrest section can be adjustable up to 1650 mm

EXAMINATION CUM GYNAEC TABLE

PS-122



- Overall Size: L 1800 mm x W 720 mm x H 800 mm
- ➤ Two section top made by CRC sheet
- > Frame made by M.S.Round Pipes
- > A pair of Lithotomy rod with two belts
- > Rubber shoes fitted at four side legs
- Pretested in 7 tank hot process & Powder coated

PS-121

LABOR TABLE



- Overall Size: L 1800 mm x W 870 mm x H 750 mm
- Platform Dimension: L 1800 mm x W 750 mm
- > Top made up of CRC sheet
- > Frame made by M.S. Round Pipes
- > A pair of Lithotomy rod with two belts
- > Rubber shoes fitted at four side legs
- Pretested in 7 tank hot process & Powder coated

PS-123

EXAMINATION TABLE



- Overall Size: L 1800 mm x W 600 mm x H 825 mm
- > Two Section top made by CRC sheet
- > Head rest adjustable on ratchet
- > Frame made by M.S. Round pipes
- > Rubber shoes fitted at four side legs
- Pretested in 7 tank hot process & Powder coated



CARDIAC TABLE WITH HANDLE SYSTEM

PS-124



- Overall Size: L 800 mm x W 400 mm x H 725 mm
- Single Section PVC Top
- ➤ M.S. tubular frame work
- > Hight adjustment 725 mm up to 950 mm
- > 50mm dia. Castors
- Pretested in 7 tank hot process & Powder coated

CARDIAC TABLE WITH HYDRAULIC SYSTEM

PS-126



- Overall Size: L 800 mm x W 400 mm x H 725 mm
- ➤ Single Section PVC Top
- ➤ M.S. tubular frame work
- ➤ Hight adjustment up to 950 mm
- > 50mm dia. Castors
- Pretested in 7 tank hot process & Powder coated

PS-125 EXAMINATION COACH



- ➤ Overall Size: L 1800 mm x W 720 mm x H 800 mm
- ➤ Platform Dimension: L 1800 mm x W 600 mm
- ➤ A cabinet with three drawers & three doors 75mm thick foam mattress with rexine cover
- Pretested in 7 tank hot process & Powder coated

PS-127

Visitor Stool



- Overall Size: L 300 mm x W 300 mm x H 500 mm
- > Top made from CRC sheet.
- ➤ Tubular frame made by M.S. Square Pipes.
- > Tubular legs are fitted with rubber shoes.
- Pretested in 7 tank hot process & Powder coated



FOLDING STRETCHER TROLLEY

PS-128



- Overall Size:
 L 1800 mm x W 550 mm x H 800 mm
- ➤ A Removable Top that can be folded at two sides.
- > 150mm dia. Castors.
- Pretested in 7 tank hot process & Powder coated

MAYO'S TROLLEY PS-130



- Overall Size:
 L 550 mm x W 400 mm x H 750 mm
- > M. S. tubular frame work.
- > Height adjustable up to 1250 mm
- > 50mm dia. Castors.
- Pretested in 7 tank hot process & Powder coated

PS-129

FIX STRETCHER TROLLEY



- Overall Size: L 1800 mm x W 550 mm x H 800 mm
- > A Removable Top.
- > 150mm dia. Castors.
- Pretested in 7 tank hot process & Powder coated

PS-131 SOILED LINEN TROLLEY (S.S.)



- ➤ Overall Size: H 900 mm x D 500 mm
- > Complete S.S tubular frame work .
- > 100mm dia. Castors.
- ➤ Using Superior Plastic Canvas Bag
- > S.S. Matte Finish



OXYGEN CYLINDER TROLLEY

PS-132



- Overall Size: L 300 mm x W 200 mm x H 1050 mm
- > Frame work made by M.S. Round Pipes
- ➤ Frame fitted with two -100 mm dia. Rubber Wheels
- ➤ Suitable for 750 mm Height Gas Cylinder
- Pretested in 7 tank hot process & Powder coated

SURGICAL INSTRUMENT CABINET

PS-134



- Overall Size: D 450 mm x W 650 mm x H 1575 mm
- > Made from CRC sheet
- > Three Side Glasses
- > Four Glass Shelves
- Pretested in 7 tank hot process & Powder coated

PS-133

DOUBLE WASH BASIN STAND



- ➤ Height: 910 mm
- Tubular frame work made by M.S. Round Pipes
- ➤ Two S.S. Bowl
- ➤ 50mm dia. Castors at three side legs
- Pretested in 7 tank hot process & Powder coated

PS-135

SCRUB SINK



- Overall Size: L 1200 mm x W 450 mm x D 450 mm
- > S.S. Structure
- > Draining hole and pipe
- > Operation Theater Hand Wash Basin
- > S.S. Matte Finish
- Option (sink with stand): L 1200 mm x W 450 mm x H 1010 mm



FOLDING WHEEL CHAIR

PS-136



- > Overall Size:
 - L 1050 mm x W 675 mm x H 1050 mm
- Frame work made by M.S. Round Pipes
- ➤ Adjustable Footrest
- ➤ Using a Mag Wheel
- Seat and Back part made by Canvas Material
- Pretested in 7 tank hot process & Powder coated

SURGEON STOOL

PS-138



- Overall Size: H 525 mm to 625 mm
- ➤ Mould Size: 375 mm x 375 mm
- Using 3" mould in seat & back part made by Ufoam.
- ➤ Adjustable Chrome Ring
- ➤ Using 50 mm Nylon Castors

PS-137

FIX WHEEL CHAIR



- > Overall Size:
 - L 1050 mm x W 675 mm x H 1050 mm
- Frame work made by M.S. Round Pipes
- ➤ Adjustable Footrest
- ➤ Using a Mag Wheel
- Seat and Back part made by 50 mm foam mattress with rexin cover
- Pretested in 7 tank hot process & Powder coated

PS-139

THREE FOLD SCREEN



- Overall Size: L 1680 mm x W 1220 mm
- M.S tubular frame work mounted on 50mm dia. Castors.
- Pretreated and powder coated.



SALINE STAND WITH CASTOR BASE

PS-140



- ➤ H 1200 mm to 2100 mm
- ➤ M.S. construction base
- > 50mm dia. Castors
- ➤ Adjustable S.S. Saline rod
- ➤ Base & Pipe are Pretested in 7 Tank Hot Process & powder coated

SINGLE STEP STOOL

PS-147



- > Overall Size:
 - L 450 mm x W 250 mm x H 225 mm
- > Top made by CRC sheet
- ➤ Frame work up of M.S. Square Pipes
- > Rubber shoes fitted at four side legs
- Pretested and powder coated

REVOLVING STOOL WITH MATTRESS

PS-144



- Overall Size: L 300 mm x W 300 mm x H 450 mm
- ➤ Using M.S. Round Pipes
- Round Top made by foam mattress with rexine cover
- Height adjustments by 450 mm up to 650 mm
- Pretested in 7 tank hot process & Powder coated

PS-141

SALINE STAND WITH HEAVY BASE



- > H 1200 mm to 2100 mm
- > M.S. construction base
- ➤ Adjustable S.S. Saline rod
- > Round Casting base
- Pretested in 7 Tank Hot Process & powder coated

PS-143 DOUBLE STEP STOOL



- ➤ Overall Size: ↓ L 450 mm x W 250 mm x H 450 mm
- > Top made by CRC sheet
- > Frame work up of M.S. Square Pipes
- Rubber shoes fitted at four side legs
- > Pretested and powder coated

PS-145

REVOLVING STOOL WITH SS TOP



- ➤ Overall Size: L 300 mm x W 300 mm x H 450 mm
- ➤ Using M.S. Round Pipes
- ➤ S.S. Top
- ➤ Height adjustments by 450 mm up to 650 mm
- Pretested in 7 tank hot process & Powder coated




VISITOR SEAT CUM BED PS-146 WITH MATTRESS



- Overall Size:
 L 1800 mm x W 600 mm x H 450 mm
- > Frame made by M.S. Square Pipes.
- > 75 mm foam mattress with rexine cover.
- Pretested in 7 tank hot process & Powder coated

PS-147 MATTRESS FOR BED



Using 50 mm or 75 mm or 100 mm foam mattress with rexine cover.

SALINE STAND ON BED

PS-148



Tubular M.S. powder coated pipe. Adjustable Saline rod.

PS-149

BACKREST



- Overall Size: W 620 mm x H 530 mm
- > Structure made by Round Pipes.
- Pretested in 7 tank hot process & Powder coated







A Leading Mfg. All Types Of Hospital Furniture & Spares

C-302 Dev Aurum Complex, Anandnagar Cross Road Prahladnagar Road, Ahmedabad - 380015.

Mobile: - +91 9825293134, +91 7874766832

Email :- ishan@acelifecare.com, vivek@acelifecare.com.